



NOTES:

1. TRENCH EXCAVATION SHALL BE CONDUCTED IN A SAFE MANNER WITH ALL NECESSARY BRACING AND SHORING PROVIDED FOR COMPLIANCE WITH OSHA.
2. FOUNDATION STABILIZATION SHALL BE PROVIDED WHEN MATERIAL AT BOTTOM OF TRENCH IS UNSUITABLE IN THE OPINION OF THE CITY TO PROVIDE A STABLE TRENCH BASE.
3. CONSTRUCTION IN PUBLIC RIGHT-OF-WAY SHALL COMPLY WITH PUBLIC STANDARDS.
4. CLASS B BACKFILL REQUIRED IN ALL ROADWAYS AND TRAFFIC PATHS EXCEPT WHERE CLSM BACKFILL IS REQUIRED BY COUNTY, ODOT, OR CITY.
5. MATERIALS SHALL BE IN ACCORDANCE WITH THE CITY SANITARY SEWER DESIGN STANDARDS MANUAL.
6. COMPACT ALL FILL AS SPECIFIED.



City of Amity
 109 Maddox Street
 Amity, Oregon 97101
 503.835.3711

TYPICAL TRENCH DETAIL
 STORM DRAINAGE SYSTEM

DETAIL NO.

D-100

3/31/04